

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

<b>SECTION 1: Identification of the substance/mixture and of the company/undertaking</b>								
1.1.	Product identifier							
	Trade name:	DRACO 250 – polymeric sand						
	Uses :	Polymeric sand for pavement joints						
	Catalogue number:	-						
	UFI:	-						
	Form:	Solid						
1.2.	Relevant identified uses of the substance or mixture and uses advised against							
	Uses:		Polymeric sand for pavement joints					
	Uses advised against:		-					
	Reason why uses advised against:		-					
1.3.	Details of the supplier and manufacturer of the safety data sheet							
1.3.1	Manufacturer:	DRACO d.o.o.						
	Address:	Draškovićeva 4, 21210 Solin						
	Telephone number:	+385 (0)21277330						
	e-mail of competent person:	info@dracopro.com						
1.3.2	Supplier in KSA & GCC	Smart Sand technology Co. Ltd.						
	Address:	Riyadh – SAUDI ARABIA						

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

	Telephone number:	+966 (050)520 5365 - + 966 (050) 003 5566		
	e-mail of competent person:	<a href="mailto:info@smartpolymersand.com">info@smartpolymersand.com</a>		
1.4.	Emergency telephone number			
	National Protection and Rescue Directorate:		-	
	Medical information:		-	
	Other information:		-	

**SECTION 2. Hazards identification**

2.1.	Classification of the substance or mixture		
2.1.1.	Classification according to Regulation (EC) No 1272/2008 (CLP)		
	Hazard class and category code:		Hazard statement*:
	Skin Irrit. 2 Skin Sens.1 Eye Dam. 1 STOT SE 3		H315 Causes skin irritation. H317 May cause an allergic skin reaction H318 Causes serious eye damage H335 May cause respiratory irritation.
2.1.2.	Additional information		
	-		

\* For full text of Hazard- and EU Hazard-statements: see SECTION 16

2.2.	Label elements		
Trade name:	DRACO GROUT 250		
Product code:	-	Date of compilation:	17.01.2024
	Product identification:		DRACO GROUT 250
	Identification number:		-
	Authorization number:		-

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

	Hazard pictograms:	
	Signal word:	DANGER
	Hazard statement:	H315 Causes skin irritation. H317 May cause an allergic skin reaction H318 Causes serious eye damage H335 May cause respiratory irritation.
	Precautionary statement:	P102 Keep out of reach of children P260 Do not breathe dust P280 Wear protective gloves/ protective clothing/ eye protection / face protection P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of the contents/container in accordance with national/regional/local waste management regulations - hand over to a company authorized for waste disposal
	Supplemental hazard information (EU):	-
2.3.	Other hazards	
	The substance does not meet the criteria for identification as a PBT or vPvB substance in accordance with Annex XIII of the REACH Regulation	

**SECTION 3. Composition/information on ingredients**

CAS/ EC/ Index number	REACH Registrati on No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
14808-60-7/ 238-878-4/ -	-	85-95%	Quartz sand (SiO <sub>2</sub> )	-

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1
65997-15-1/ 266-043-4/ -	-	1-3%	Portland cement	H315 Skin Irrit. 2 H317 Skin Sens. 1 H318 Eye Dam. 1 H335 STOT SE 3	

**SECTION 4. First aid measures**

4.1.	Description of first aid measures					
	General notes:	-				
	Following inhalation:	"If inhaled, move the person to a clean area with fresh air. If symptoms occur (e.g., respiratory irritation or similar) and in all cases of doubt, seek medical advice immediately.				
	Following skin contact:	Immediately remove contaminated clothing and footwear. Rinse the affected area with running lukewarm water, wash with mild soap, and continue rinsing with water for at least 20 minutes. If symptoms occur, seek medical attention. Wash contaminated clothing before reuse				
	Following eye contact:	Wash hands, protect the uninjured eye, separate the eyelids with clean fingers, and rinse the eye with running lukewarm water for at least 20-30 minutes. If the injured person wears contact lenses, remove them during rinsing. If symptoms occur, seek medical advice.				
	Following ingestion:	Seek medical advice. Do not induce vomiting without medical advice. Allow the person to rinse their mouth with water and spit it out. Never give anything by mouth to an unconscious person."				
	Self-protection of the first aider	-				
4.2.	Most important symptoms and effects, both acute and delayed					
	Following inhalation:	Possible coughing, throat and respiratory tract irritation.				
	Following skin contact:	Redness, stinging, itching, drying, dermatitis. Has an abrasive effect. May cause an allergic skin reaction				

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

	Following eye contact:	Redness, tearing, severe pain, blurred vision. Risk of serious eye damage
	Following ingestion:	May cause nausea, vomiting, abdominal pain. The product may lead to clumping in the digestive tract
4.3.	Indication of any immediate medical attention and special treatment needed	

**SECTION 5. Firefighting measures**

5.1.	Extinguishing media				
	Suitable extinguishing media:		Water mist, alcohol-resistant foam, powder, carbon dioxide (CO <sub>2</sub> )		
	Unsuitable extinguishing media:		High volume water jet		

Trade name:	DRACO GROUT 250							
Product code:	-	Date of compilation:	17.01.2024	Version:	1			
5.2.	Special hazards arising from the substance or mixture							
	Hazardous combustion products:		When heated or in case of fire, toxic gases may be produced. Do not inhale combustion products.					
5.3.	Advice for firefighters							
	Firefighters should always use fire-resistant clothing (in accordance with the EN 469 standard) and a self-contained breathing apparatus with an open circuit and compressed air (EN 137) in case of fire in an enclosed space. Prevent spillage and firefighting water from contaminating waterways by containing it with absorbent materials and covering drains.							
5.4.	Additional information							

**SECTION 6. Accidental release measures**

6.1.		
6.1.1.	For non-emergency personnel	

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

	Protective equipment:	
	Accident prevention methods:	
	Emergency procedures:	
6.1.2.	For emergency responders:	
	provisions in Section 8 of this document.	
6.2.	Environmental precautions:	
	running off wastewater into watercourses.	
6.3.	Methods and material for containment and cleaning up	
6.3.1.	Bunding, covering of drains; capping procedures:	-
	Personal protective equipment for firefighters in accordance with the provisions in Section 5 of this document	Prevent the product from getting into the environment. If it does occur, it is necessary to prevent the product getting into watercourses, drainage systems and soil. In case of larger environmental contamination with the product, notify emergency state center. Prevent running off wastewater into watercourses.
	Personal precautions, protective equipment and emergency procedures	Use protective equipment in accordance with Section 8 of this document. Do not inhale dust. Avoid contact with skin and eyes Prevent dust formation. Eliminate all sources of heat/sparks/open flames/hot surfaces Prevent static electricity accumulation. Danger of forming explosive dust-air mixtures. In case of spillage, danger of slippery surfaces due to the roundness of the material particles In case of an accident, secure the location and evacuate personnel not involved in the remediation.
Trade name:	DRACO GROUT 250	

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

Product code:	-	Date of compilation:	17.01.2024	Version:	1
.3.2.	Cleaning up:	Collect mechanically and dispose of in an appropriate container to be handed over for disposal to an entity authorized by the ministry responsible for environmental protection. Properly cover the dispersed material to prevent it from being spread by the wind. Rinse the product residues with plenty of water			
6.3.3.	Other information:	Remove all sources of ignition. Thoroughly ventilate the area.			
6.4.	Reference to other sections				
	Refer to Section 7 for information on safe handling. Refer to Section 8 for information on personal protective equipment. Refer to Section 13 for disposal information				

**SECTION 7. Handling and storage**

7.1.	Precautions for safe handling	
7.1.1.	Protective measures	
	Measures to prevent fire:	Ensure adequate ventilation Prevent dust formation. Eliminate all sources of heat/sparks/open flames/hot surfaces Prevent static electricity accumulation.
	Measures to prevent aerosol and dust generation:	Properly ventilate rooms where storage and handling occur. Product packages must be tightly closed.
	Measures to protect the environment:	Keep product packages tightly closed.
	Other measures:	Do not inhale dust. Provide showers and eye wash stations near the work area
7.1.2.	Advice on general occupational hygiene:	
	Eating, drinking, and smoking are prohibited while using the substance. After using the substance and at the end of the work shift, wash your hands. Remove contaminated clothing and protective equipment before entering areas where food is consumed. Keep work clothing separate from other clothing items.	

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

7.2.	Conditions for safe storage, including any incompatibilities				
	Technical measures and storage conditions:			In a dry, cool, and well-ventilated area, protected from direct sunlight and sources of heat.	
	Packaging materials:			Original manufacturer's packaging. After use, open containers should be carefully resealed and kept upright. Do not store in unmarked containers.	
	Requirements for storage rooms and vessels:			Ensure good ventilation. Keep away from food, beverages, and animal feed.	
	Advices for storage equipment:			No data	
	Further information on storage conditions:			Store at a temperature of 0°C to 35°C	
7.3.	Specific end use(s)				
	Recommendations:			No data	
	Industrial sector specific solutions:			No data	

**SECTION 8. Exposure controls/personal protection**

8.1.	Control parameters				
Substance		CAS No	Occupational exposure limit values/short term values		Biological limit values
			ppm	mg/m <sup>3</sup>	
Portland cement dust		65997-15-1	-	10(U) 4 (R)	-
Substance:					
EC No:		CAS No:			
<b>DNEL</b>					

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250			
Product code:	-	Date of compilation:	17.01.2024	Version: 1

<b>Industrial</b>				
Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	No data	No data	No data	No data
Inhalation	No data	No data	No data	1 ppm
Dermal	No data	No data	No data	No data
Critical physical parameters: solubility, flammability, corrosivity:			No data	
<b>Consumer</b>				
Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	No data	No data	No data	No data
Inhalation	No data	No data	No data	No data
Dermal	No data	No data	No data	No data
<b>PNEC</b>				
Environmental protection target		<b>PNEC</b>		
Fresh water		No data		
Freshwater sediments		No data		
Marine water		No data		
Marine sediments		No data		
Food chain		No data		
Microorganisms in sewage treatment		No data		
Soil (agricultural)		No data		
Air		No data		

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

Trade name:	DRACO GROUT 250				
8.2.	Exposure controls				
8.2.1.	Appropriate engineering controls				
	Substance/mixture related measures to prevent exposure during identified uses:	Properly ventilate rooms where storage and handling occur. Prevent contact with skin and eyes. Eating, drinking, and smoking are prohibited in the work area. After each work break, wash hands, forearms, and face thoroughly. Do not inhale dust			
	Structural measures to prevent exposure:	In accordance with Section 7			
	Organizational measures to prevent exposure:	In accordance with Section 7			
	Technical measures to prevent exposure:	Ensure adequate air exchange and/or exhaust ventilation in work areas. Provide showers and eye wash stations near the work area			
8.2.2.	Personal protection equipment:				
8.2.2.1.	Eye and face protection:	Not required with proper use. In case of dust formation, wear protective glasses (EN ISO 16321-3:2022).			
8.2.2.2.	Skin protection:				
	Hand protection:	Protective gloves resistant to the product (EN ISO 374)			
	Other skin protection:	Protective work clothing (EN ISO 13688) and suitable closed footwear (EN 13832)			
8.2.2.3.	Respiratory protection:	Ensure good ventilation. In case of insufficient ventilation or exceeding the OEL value or the formation of dust, use a particulate filter half mask (EN 149). If the substance is odorless or its odor threshold is higher than the exposure limit, and in case of danger, or when exposure levels are unknown or the oxygen concentration in the work area is below 17%, wear a self-contained open-circuit compressed air breathing apparatus (EN 137)			
8.2.2.4.	Thermal hazards:	No data			
8.2.3.	Environmental exposure controls				

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250			
Product code:	-	Date of compilation:	17.01.2024	Version: 1

	Substance/mixture related measures to prevent exposure:	In accordance with Section 6	
	Structural measures to prevent exposure:	In accordance with Section 6	
	Organizational measures to prevent exposure:	In accordance with Section 6	
	Technical measures to prevent exposure:	-	
		Value	Method
	Physical state:	Solid	-
	Color:	Gray	-
	Odour/odour threshold:	Odorless	-
	Melting point / freezing point;	No data	
	Boiling point or initial boiling point and boiling range:	No data	
	Flammability:	No data	
	Lover and upper explosion limit:	No data	
	Flash point:	No data	
	Auto-ignition temperature:	No data	
	Decomposition temperature:	No data	
	pH:	No data	
	Kinematic viscosity:	No data	
	Solubility:	No data	
	Partition coefficient n octanol/water (log value):	No data	

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

	Vapour pressure:	No data			
	Density and/or relative density	1,4 g/cm <sup>3</sup>			
	Relative vapour density:	No data			
	Particle characteristics:	No data			
9.2.	Other information				

**SECTION 10.: Stability and reactivity**

10.1.	Reactivity:	Under the prescribed conditions of use and storage, it is non-reactive
10.2.	Chemical stability:	Under the prescribed conditions of use and storage, it is stable
10.3.	Possibility of hazardous reactions:	Under the prescribed conditions of use and storage, no hazardous reactions are known.
10.4.	Conditions to avoid:	Adhere to the prescribed storage conditions.
10.5.	Incompatible materials:	No data
10.6.	Hazardous decomposition products:	No data

**SECTION 11. Toxicological information**

11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008				
Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

	Acute toxicity:				
Route of exposure:	Method	Species	Effective Dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mixture</sub>	Exposure time	Results
Oral:	No data	No data	No data	No data	No data

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

Dermal (data for Portland cement):	-	Rabbit	LD50>2000 mg/kg	8h	-		
Inhalation:	No data	No data	No data	No data	No data		
	Specific target organ toxicity – single exposure (STOT SE):						
		Specific effects		Target organ	Note		
Oral:	No data		No data	No data			
Dermal:	No data		No data	No data			
Inhalation:	No data		No data	No data			
	Aspiration hazard:		May cause irritation				
	Irritation and corrosion:						
		Exposure time	Species	Evaluation	Method		
Skin corrosion/irritation (data for Portland cement)		-	-	-	-		
Serious eye damage/irritation (data for Portland cement)		No data	No data	No data	No data		
	Risk of serious eye damage						
	Sensitization						
Skin sensitization:		May cause an allergic skin reaction					
Respiratory sensitization:		-					
	Symptoms related to the physical, chemical and toxicological characteristics						
Oral exposure:		-					
Dermal exposure:		-					
Inhalation exposure:		-					
Eye exposure:		-					

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

	Repeated dose toxicity (subacute, subchronic, chronic)					
	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No data	No data	No data	No data	No data	No data
Subacute dermal	No data	No data	No data	No data	No data	No data
Subacute inhalation	No data	No data	No data	No data	No data	No data
Sub chronic oral	No data	No data	No data	No data	No data	No data
sub chronic dermal	No data	No data	No data	No data	No data	No data
sub chronic inhalation	No data	No data	No data	No data	No data	No data
Chronic oral	No data	No data	No data	No data	No data	No data
Chronic dermal	No data	No data	No data	No data	No data	No data
Chronic inhalation	No data	No data	No data	No data	No data	No data
	Specific target organ toxicity – repeated exposure (STOT RE):					
	Specific effects			Target organ		Note
Subacute oral	No data			No data		No data
Subacute dermal	No data			No data		No data
Subacute inhalation	No data			No data		No data
sub chronic oral	No data			No data		No data
sub chronic dermal	No data			No data		No data
sub chronic inhalation	No data			No data		No data
Chronic oral	No data			No data		No data
Chronic dermal	No data			No data		No data
Chronic inhalation	No data			No data		No data

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

	CMR effects (carcinogenicity; mutagenicity; reproductive toxicity)	
	Carcinogenicity:	Not classified based on available information.
	Mutagenicity <i>in-vitro</i> :	No data
	Genotoxicity:	No data
	Mutagenicity <i>in-vivo</i> :	No data
	Germ cell mutagenicity:	Not classified based on available information.
	Reproductive toxicity:	Not classified based on available information.
	Summary of evaluation of the CMR properties; :	No data
11.2.	Information on other hazards:	
11.2.1.	Endocrine disrupting properties:	
	Toxicological information: The substance/mixture does not contain components considered to have endocrine-disrupting properties according to Article 57(f) of the Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation, or the Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605, at levels of 0.1% or higher	
11.2.2.	Other information:	
	No data	

**SECTION 12. Ecological information**

12.1.	Toxicity					
	Acute (short-term) toxicity	Dose	Exposure Time	Species	Method	Evaluation
	Fish:	No data	No data	No data	No data	No data
	Crustacea:	No data	No data	No data	No data	No data

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

Algae/aquatic plants:	No data	No data	No data	No data	No data	No data
Other organisms:	No data	No data	No data	No data	No data	No data
Chronic (long-term) toxicity	Doza	Exposure time	Species	Method	Evaluation	Note
Fish:	No data	No data	No data	No data	No data	No data
Crustacea:	No data	No data	No data	No data	No data	No data
Algae/aquatic plants:	No data	No data	No data	No data	No data	No data
Other organisms:	No data	No data	No data	No data	No data	No data
12.2.	Persistence and degradability					
	Abiotic degradation					
	Degradation half-lives		Method	Evaluation	Note	
Marine water	No data		No data	No data	No data	
Fresh water	No data		No data	No data	No data	
Air	No data		No data	No data	No data	
Soil	No data		No data	No data	No data	
	Biodegradation					
% Degradation	Time (days)		Method	Evaluation	Note	
No data	No data		No data	No data	No data	
No data	No data		No data	No data	No data	
No data	No data		No data	No data	No data	

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

12.3.	Bio accumulative potential					
	Octanol-water partition coefficient (log Kow)					
Value	Concentration	pH	°C	Method	Evaluation	Note
No data	No data	No data	No data	No data	No data	No data
No data	No data	No data	No data	No data	No data	No data
No data	No data	No data	No data	No data	No data	No data
	Bioconcentration factor (BCF)					
Value	Species	Method		Evaluation	Note	
No data	No data	No data		No data	No data	
No data	No data	No data		No data	No data	
No data	No data	No data		No data	No data	
	Chronic ecotoxicity					
Variedness	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC <sub>50</sub>	No data	No data	No data	No data	No data
Chronic toxicity on crustacea (Daphnia)	EC <sub>50</sub>	No data	No data	No data	No data	No data
12.4. Mobility in soil						
	Known or predicted distribution in environmental compartments:					
	Surface tension:					
	Value	°C	Concentration	Method	Note	

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

	No data	No data	No data	No data	No data
	Adsorption/desorption				
Transport	A/D coefficient Henry's constant	log Kow	Evaporation rate	Method	Note
Soil-Water	No data	No data	No data	No data	No data
Water-Air	No data	No data	No data	No data	No data
Soil-Air	No data	No data	No data	No data	No data
12.5.	Results of PBT and vPvB assessment				
	This mixture does not contain substances that are assessed as PBT or vPvB				
12.6.	Endocrine disrupting properties				
	Environmental information: The substance/mixture does not contain components considered to have endocrine-disrupting properties according to Article 57(f) of the Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation, or the Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605, at levels of 0.1% or higher				
12.7.	Other adverse effects				
	There is no data available for this product				
<b>SECTION 13. Disposal considerations</b>					
13.1.	Waste treatment methods				
13.1.1.	Product/Packaging disposal:				
	Hand over for disposal to an entity authorized by the ministry responsible for waste management.				
13.1.2.	Waste codes/waste designations according to Low:				
	No data				
13.1.3.	Waste treatment – relevant information:				

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

	No data
13.1.4.	Sewage disposal – relevant information:
	Disposal into sewers, drainage systems, or waterways is prohibited
13.1.5.	Other disposal recommendations:
	No data
13.1.6.	Relevant Community provisions:
	Waste management regulations

**SECTION 14. Transport information**

	Transporting/shipment by road (ADR)				
UN number or ID number:	Not classified as hazardous for transport				
UN proper shipping name:	-				
Transport hazard class(es):	-				
Packing group:	-				
Environmental hazards:	-				

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1
Special precautions for user:	-				
	Transporting/shipment by rail (RID)				
UN number:	Not classified as hazardous for transport				
UN proper shipping name:	-				
Transport hazard class(es):	-				
Packing group:	-				

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

Environmental hazards:	-
Special precautions for user:	-
	Transporting/shipment by inland waterways (ADN)
UN number or ID number:	Not classified as hazardous for transport
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmental hazards:	-
Special precautions for user:	-
	Transporting/shipment by sea (IMDG)
UN number or ID number:	Not classified as hazardous for transport
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmental hazards:	-
Special precautions for user:	-
Maritime transport in bulk according to IMO instruments:	Not applicable
	Transporting/shipment by air (ICAO-TI/IATA-DGR)
UN number or ID number:	Not classified as hazardous for transport
UN proper shipping name:	-
Transport hazard class(es):	-
Environmental hazards:	-

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

Special precautions for user:	-
Further information:	

**SECTION 15. Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

	EU regulations								
	Authorizations and/or restrictions on use								
	Authorizations:	No data							
Trade name:	DRACO GROUT 250								
Product code:	-	Date of compilation:	17.01.2024	Version:	1				
	Restrictions:	No data							
	Other EU regulations:	Regulation (EC) No 1272/2008 (CLP), Regulation (EC) No 1907/2006 (REACH)							
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)								
	National legislation:	-							
15.2.	Chemical safety assessment								
	No data								

**SECTION 16. Other information**

16.1.	Indication of changes:	None
16.2.	Abbreviations and acronyms:	IMDG:International Maritime Code for Dangerous Goods; IATA:International Air Transport Association; ICAO:International Civil Aviation Organization; GHS:Globally Harmonized System of Classification and Labelling of Chemicals; LC50:Lethal concentration,50 percent; LD50:Lethal Dose,50 percent

**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006**

Trade name:	DRACO GROUT 250				
Product code:	-	Date of compilation:	17.01.2024	Version:	1

16.3.	Key literature references and source of data:		Supplier safety data sheets for raw materials, Regulation (EC) No 1272/2008				
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)						
Classification		Classification procedure					
Skin Irrit. 2, H315 Skin Sens.1, H317 Eye Dam. 1, H318 STOT SE 3, H335		Computational procedure					
16.5.	Relevant H statements (number and full text)						
	H:	H315 H317 H318 H335	H315 Causes skin irritation. H317 May cause an allergic skin reaction H318 Causes serious eye damage H335 May cause respiratory irritation.				
16.6.	Training advice:		No data				
16.7.	Further information:		These information are based on our current knowledge and relate to the product as supplied. The data in this Safety Data Sheet describe the safety requirements and do not confirm the product's properties				

<b>ANNEX: Exposure scenario resulting to Chemical safety assessment</b>
-